Disinfecting wipes

Key Product Specs:

- FDA Registered
- 75% Alcohol



Product Display



Business & Medical Licenses

SEŅ	REPORT
Safety Data Sh	teet(SDS) Report Project Number: SN2020060201032
Applicant:	Shenzhen FenghuaZhengmao Trade Co., Ltd Issue Date: June 02, 2020
	201, No.5, Xiagang Yicun 4th Alley, Nanlian Community, Longgang Sub-District, Shenzhen, 518015, China
Sample Descrip	ption:
	ormation was submitted and identified on client's behalf to be:
Product Name	: MAGICARE PREMIUM DISINFECTING WIPES
Product Brand	: MAGICARE
Physical State	: Solid
Data Received	: May 15, 2020
Data Reviewed	: From May 15, 2020 to June 02, 2020
authorized by: ENNOR Testin henzhen Ltd.	g & Cortification Technology Service
he results shown in this ompany. emor Test Certification	The for Company adaption to Conditions of Names of The Report series I worked a statistical For Report the role in the superface transit adawn derives index. The Fore Report allot als in separational respond in table, where writes approved of the asst Translange Technical Obstation (C. L. M. asst Technical Description (C. Statistical C. L. M. asst Technical Description (C. Statistical C. L. M. Table (16-719) 200279

鉴定项目 Identification Items	Page 2/2 鉴定结果 Identification Conclusion Results
爆炸危险性鉴定 Identification of Explosive Hazard	浅質物不減于発芽品。 The product is not classified in Explosives.
易燃危险性鉴定 Identification of Flammable Hazards	浅货物属于4.1项易燃危险品。 The product is classified in Division 4.1 (Flammable Solids).
氧化危险性鉴定 Identification of Oxidative Hazards	试算物小瓶 ; ; ; ; (A)和有机过氧化物。 The product is not classified in oxidizing substances and organic peroxides.
毒害及传染危险性鉴定 Identification of Toxic & Infectious Hazards	協設物不属了有毒和感染性物质。 The product is not classified in toxic and infectious substances.
放射危险性鉴定 Identification of Radioactive Hazard	该货物无统新荒除性. The product is not classified in radioactive material.
腐蚀危险性鉴定 Identification of Corrosive Hazard	这货物不属于烦恼品。 The product is not classified in corrosives.
其他危险性鉴定 Identification of other Hazards	该貨物无比它な約性. The product presents no other dangerous properties7)

Company Info

Shenzhen Fenghua Zhengmao is a professional third-party logistics service operator. With the strategic goal of becoming a "global supply chain management company", Shenzhen Fenghua Zhengmao can sit in multi-mode joint points and provide door-to-door services for customers. The company adheres to the business philosophy of "respect, innovation, dedication, integrity", and wholeheartedly provides first-class service for our customers.



Test Report

		PREMIU	Page 3 of JM DISINF		IPES	Issue Date: June 42, 292 Project number: \$N2020066(2010)2
Precautionary statement(s) Dispor Not Applicable	Jai					
t.3 Other hazards REACH- Art. 57-59. The mixture doe		design of the second				
				veru) a me sus	print date.	
SECTION 3 Composition / In	formation	on Ingredients	•			
.1 Substances See 'Composition on ingredients 'in	Section 12					
.2 Mixtures						
Ingredient(s):						
Name	%[weight]	CAS No.	EC No.	Index No	REACH No	Classification according to regulation (EC) No. 1272/2008[CLP]
Polypropylene	90%	25085-53-4	Not available	Not available	Not available	Not available
Water	7.5%	7732-18-5	231-791-2	Not available	Not evailable	Not available
Ethanol	2.5%	64-17-5	200-578-6	603-002-00-5	Not available	Flam. Liq. 2; H225
Legend	7. Classifi	ed by Cherneakh	2. Classification d	new from EC Dire	cilve 1272/2008-A	mer W 3 Classification drawn from C&L
SECTION 4 First Aid Measu						
I.1 Description of first aid meas General notes Eye Contast	> In all	product comes in out immediately	r when symptoms in contact with eyes with water.		ical attention.	
	> Ifield > Batts If skir	ation continues, si avai of contact len	eek medical attent ses after an eye is rours	sury should only b		killed personnel.
Skin Contact			h running water (a in event of initatio			ake him to the fresh air.
Inhalation	Lay th Aman In the	he casualty down ge medical treatm case of breathing	in a quiet place an sent. 3 difficulties have t	id protect him aga	insthypothermia.	and rem of the mess as
	> Rinse > If the	casually is consci	pit the fluids out, ious have him drin			
Ingestion	Lay 8 Aman Durin	ge medical treatm g spontaneous v	in a quiet place an			ody in a prore position in order to avoid
	mpin	aton.	-		-	
	nd effects, b	ooth acute and	delayed			
I.2 Most important symptoms a See section 11.		ention and spe	cial treatment	needed		
See section 11.	medical atte					
See section 11. I.3 Indication of any immediate Treat symptomatically						
.3 Indication of any immediate						
See section 11. I.3 Indication of any immediate Treat symptomatically						
See section 11. 13 Indication of any immediate Treat symptomatically SECTION 5 Firefighting Mea	× Wate	r (spray - not spia				
See section 11. 13 Indication of any immediate Treat symptomatically SECTION 5 Firefighting Mea	> Wate > Dry e > Carte	r (spray - not spla dingushing pour n divoide		n or water spray		
See section 11. 13 Indication of any immediate Treat symptomatically SECTION 5 Firefighting Mea	> Wate > Dry e > Carb > Fight	r (spray - not sple ofinguishing power on dicoide large fire with alco	der .	n or weber spray		
See section 11. 13. Indication of any immediate Treat symptomatically SECTION 5 Firefighting Mea 1.1 Extinguishing media	> Wate > Dry e > Carb > Fight	r (spray - not spla otingusting pow o dioxide large fre with alco ate or mixture	der .	n or willer spray		
See section 11. 1.3 Indication of any immediate Tred symptomatically SECTION & Firefighting Mee 1.1 Extinguishing media 5.2 Special hazards arising from	Wate Wate Dry e Carte Fight n the substra	r (spray - not spla otingusting pow o dioxide large fre with alco ate or mixture	der .	n or watter spray		

	Project number: SN2020060201032E
	PREMIUM DISINFECTING WIPES
Fire Fighting	Allow Fine Bioglass and in 4 them inclusion and charles of Anazart. Ware for setting-particle apple proficient low in the event of a first. Prepared, typely means a subjective setting of the event of a first. Prepared, typely means a subjective setting of the event of a first. Do NOT approximate and provide the first. Do NOT approximate contrasters subjective to level.
Fire/Explosion Hazard	Experiment sector or memory on oncertaintia and sec. Poorly flammable. Not considered a significant fire risk, however containers may burn.
SECTION 6 Accidental Roles	se Measures
1 Personal precautions, prote-	ctive equipment and emergency procedures
	See section 8
2 Environmental precautions	
	See section 12
3 Methods and material for co	
a methods and indeenal for co	Clear area of personnel.
Minor Spills	Chan up all splits immediately. Avoid generating dust. Control personal contact with the substance, wear respiratory protection and work suit. Piace in a suitable, labeled container for wast educated.
Major Spills	Modernia Nazadi Modernia Nazadi J. Adard Y. Be Support San Mal Harnin Isuation and nature of Nazard. J. Adard Y. Be Support San Mal Harnin Isuation and nature of Nazard. J. Consults ensult for methods. J. Monaret is verificiate anax, among all dis and prevent saved rates for datase. J. Monaret is verificiate anax, among all dis and prevent saved rates for datase. J. Monaret is verificiate anax, among all dis and prevent saved rates for datase. J. Monaret is verificiate anax, among all dis and prevent saved rates for datase.
	> Inform the responsible authorities about penetration of larger quantities.
4 Reference to other sections	
	Personal Protective Equipment advice is contained in Section 8 of the SDS.
SECTION 7 Handling and St	07308
	19
1 Precautions for safe handlin Safe handling	9 > Keep out of match of children and pets. > Take cares to matching clean working pice. > Do not lase oronater open. > Receipt spectrum more to guaranteed for willing, tamefar, or open use.
1 Precautions for safe handlin	Keep out of reach of children and pets. Too care to matching date working place. Software working on the second sec
1 Precautions for safe handlin Safe handling	Yeap could shall of children and path. Yeap could shall of children and path. Do as taken constance open. Do as taken constance open. Subscription container company and the constance of the children taken by or open stat. Take type the badde constance.
1 Precautions for safe handlin Safe handling Fire and explosion protection Other information:	Foregoing of heads of childhine and paths The sense is marked in their model paths The sense is marked in the model paths Sense is the sense is the pathset of the sense is the sense i
1 Precautions for safe handlin Safe handling Fire and explosion protection Other information:	Avec multi stands of children and paths Avec multi stands many stands Avec multi stands many stands Avec multi stands many stands Avec multi stands many stands many stands Avec multi stands many stands many stands many stands many stands Avec multi stands many stands many stands many stands many stands Avec multi stands many stands many stands many stands many stands Avec multi stands many stands many stands many stands many stands Avec multi stands many stands many stands many stands many stands Avec multi stands many stands many stands many stands many stands Avec multi stands many stands many stands many stands many stands Avec multi stands many stands many stands many stands many stands Avec multi stands many stands many stands many stands many stands Avec multi stands many stands many stands many stands many stands Avec multi stands many stands man
1 Precautions for safe handlin Sale handling Fire and explosion protection Other information: 2 Conditions for safe storage,	
1 Precautions for safe handlin Safe handling Fire and explosion protocion Other informations 2 Conditions for safe storage, Subable container Barbable container Barbable container	Aver and hand relations and path. Aver and hand relations and path. Aver and hand relations are officed and path. Aver and the average are officed and path. Average are officed and path.
1 Precautions for safe handlin Safe handlin Fire and explasion protection Other internation: 2 conditions for safe storago, Suitable container Storage incompatibility Cologn attractionspatibilities the Analasia	Aver and hand relations and path. Aver and hand relations and path. Aver and hand relations are officed and path. Aver and the average are officed and path. Average are officed and path.
1 Precautions for safe handlin Safe handling Fire and explosion protocion Other informations 2 Conditions for safe storage, Subable container Barbable container Barbable container	A way out hand in distance and path. A way out of a solution is parameter for while, a transfer or upon and and a solution is parameter for while, a transfer or upon and and a solution is a solution in the solution is a sol
1 Precautions for safe handlin Safe handling Fire and explosion protoclosm Other internetion: 2 Conditions for safe storage, Salable container Storage incompatibility schage matter ill incompatibilities for Analatic	Aver and A same of children and path. Source and a same of the same o
1 Precautions for safe handlin Safe handling Fire and explosion protoclosm Other internetion: 2 Conditions for safe storage, Salable container Storage incompatibility schage matter ill incompatibilities for Analatic	A varies and a same of children and paths. A super soft a same of children and paths. A super soft a same of children and paths. A super soft and paths and path and paths and paths and path and path and paths and path and pa
LPresentions for safe hardling Sete harding Pres and applying protocols Other internations 2 conditions for safe storage, Suitable contailor Barage internestibility releases internestibility storages internestibility as geolofic and use(s) Recommendations	A varies and a same of children and paths. A super soft a same of children and paths. A super soft a same of children and paths. A super soft and paths and path and paths and paths and path and path and paths and path and pa
1 Personations for soft handling Sub handling Pro and explosion protoction Other information: 2 conditions for safe tetrapa, 3 conditions for safe tetrapa, 3 conditions for safe tetrapa, 4 conditions of safe tetrapa, 3 conditions of safe tetrapa, 4 conditions of safe tetrapa, 3 conditions of safe tetrapa, 3 conditions of safe tetrapa, 4 conditions of safe tetrapa, 3 conditions of safe tetrapa, 4 conditions of safe tetrapa,	A varies and a same of children and paths. A super soft a same of children and paths. A super soft a same of children and paths. A super soft and paths and path and paths and paths and path and path and paths and path and pa

Version No: L0 Page 5 of 9 Issue Date: June 02, 2020 Project number: SN2020060201032E PREMIUM DISINFECTING WIPES 8.1 Control parameters 8.1.1 Derived no effect level (DNEL) Not Available 8.1.2 Predicted no effect level (PNEC) Not Available 8.1.3 Occupational exposure limits (OEL) Ingredient data
 Source
 Ingrodent
 Material name
 TWA
 STEL
 Peak


 Spain
 Ethanol
 1910 mg/m²
 Not Available
 Not Available
 Notes Not Available Denmark Ethanol Ethanol 1900 mg/m³ Not Available Not Available Belgium Ethanol Ethanol 1907 mg/m³ Not Available Not Available Not Available Ethanol 1900 mg/m³ Not Available Sweden Ethappal 1000 mg/m³ Not Available Germany Ethanol Ethanol 962 mg/m² Not Axailable Not Axailable Not Available Poland Ethanol Ethanol 1900 mg/m³ Not Available Not Available Not Available Hungary Ethanol Ethanol Ethanol
 1900 mg/m²
 7600 mg/m²
 Not Available

 1000 mg/m²
 1900 mg/m²
 Not Available
 Not Available France Not Available Emergency limits Material name Ingredient TEEL-1 TEEL-2 TEEL-3 Ethanol 1800 ppm 7900 ppm Phane 3302 ppm ingredient Original IDLH Revised IDLH Ethanol 15000 som 3300 pam 8.2 Exposure controls Yeld-writiking
 Profigting explored must be available.
 Profigting explored these employment and then at a minimum of once personan thereafter.
 Profigting explored these properties and the state of the state of the sort able to determine the topological and the book of the sort able to determine the topological and the book of the sort able to determine the topological and the sort able to determine the topological and the book of the sort able to determine the topological and the sort able to determine the sort able to determine the sort able to determine the topological and the sort able to determine the sort able to det Personal protection Eye and face protection > Safety glasses with side shields Chemical googles. Terr article printer

4. Description

5. Desc $\label{eq:recommended material(s)} The bilineing materials are suitable for protective gives (Permeation time >= 8 hours): Buly insbler - Buly (0,5 mm) Flows Carbon subder - FRM (0,4 mm) \\$ Following materials are unsuitable for protective gloves because of degradation, severe tenifies of two constantion for the hypotherospene. In CR NN NYSe robothYstie lates - NRC Payrony dischars - PVC 8.3 Environmental exposure controls See section 12 This Tail Report is issued by the Company subjective in Conditions of Downeed of Teil Report printed eventual or attached. The results shown is this Teil Report refer only to the sample(s) total unless otherwise stated. This Teil Report shall act to repealaced expected in Ref, without writins approval of the Company. Searce Test Greffleiden and Technologi Service (Shendon) Gr. Ltd. Searce 40, 47, 5535, Langino Iskertik, Bring Store, Longhu Derist, Shenden, Gangdong,China Tel. (46-35) 3242779

FDA Registration



Product Package Info

40 Pcs / Box



Size: 20*10 cm Material: 75%alcohol Color: White Weight: 265g



40 Pcs per Container, 70 boxes per Carton 2800 Pcs per Carton Carton Dimension:20.5*16.9*8.7 inches G. W.: 18.6 kg